

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	15-05-2025 13:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	15-05-2025 13:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	45 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	harpreetsach.519k@gov.in
Total Quantity/कुल मात्रा	2992
Item Category/मद केटेगरी	Tower Bolts (Non-Ferrous Metals) V2 as per IS 204 (Q2) , Sinks (Q3) , Bathroom or Toilet Mirror (V2) (Q4) , taps or valves of nonferrous metals (Q3) , Towel Rail / Ring for Bathroom (Q3) , Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest) (Q3) , Flushing Cistern (Q3) , Sinks / Wash Basins - Vitreous China as per IS 2556 (Part 4) (Q3) , Waste Fittings for Washbasin and Sinks as per IS 2963 (Q3) , Floor Drain Traps (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	8 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	140 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No

Bid Details/बिड विवरण	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	20 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	taps or valves of nonferrous metals
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	365000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	2.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	2

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service

Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

CWE (AF) NAGPUR
COMMANDER WORKS ENGINEER AIR FORCE, VAYUSENA NAGAR, NAGPUR-440007
(Commander)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public

Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Tower Bolts (Non-Ferrous Metals) V2 As Per IS 204 (74 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Governing Specification	As per IS 204
	BIS Marked	Yes
	Type of tower bolts as per CI 3.1 of IS 204	Barrel Tower Bolts
	Sub-type of tower bolts as per CI 3.1 of IS 204	Aluminium Alloy Barrel Tower Bolts (Type - 4A)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
MATERIAL	Material of Aluminium alloy tubes as per Table 3 of IS 204(Part 2)	designation 63400 WP or 63400 P of IS 1285
	Material of Aluminium alloy extruded rods as per Table 3 of IS 204(Part 2)	Designation 65032 WP of IS 733
	Brass sheets as per Table 3 of IS 204(Part 2)	Alloy designation CuZn 40 Condition HD of IS 410
	Cast brass as per Table 3 of IS 204(Part 2)	Grade CB.2 of IS 292
	Extruded brass as per Table 3 of IS 204(Part 2)	Type II Half hard condition of IS 319
	Zinc base alloy die casting as per Table 3 of IS 204 (Part 2)	Alloy Zn A14 Die casting of IS 742
Constructional	Fixing of knob with Bolt as per CI 5.1.1 of IS 204(Part 2)	Integrated with Bolt
	Barrel tower bolts should comply as per CI 5.2.1 of IS 204 (Part 2) (choose NA for skeleton tower bolts)	NA
	Skeleton tower bolts should comply as per CI 5.2.2 of IS 204 (Part 2) (choose NA for Barrel tower bolts)	NA
DIMENSIONS	Length of Bolt/Barrel of Barrel Tower bolts as per Table 1 of IS 204 (Part 2) (mm)	100
	Diameter of Barrel and Skeleton Tower bolts (mm)	12.0
	Width of Barrel Tower bolts (mm)	38
	Minimum No. of equally spaced screw holes in barrel and sockets for wood screw for Barrel tower bolts	6
	Length of socket as per Table 1 of IS 204 (Part 2)	25
	Thickness of Brass or Zinc Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	2
	Thickness of Aluminium Alloy Metal of Barrel as per Table 1 of IS 204 (Part2)	2.4

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of Sheet brass Metal of Barrel as per Table 1 of IS 204 (Part2)	1-1.25
	Length of Bolt/Barrel of Skeleton tower bolts as per Table 2 of IS 204 (Part 2) (mm)	NA
	Width of Bolt plate or staple of Skeleton tower bolts (mm)	NA
	Minimum No. of screw holes for wood screw no. 4 in Skeleton tower bolts	NA
	Length of Staple in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
	Thickness of Brass Plate or socket in Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA
	Thickness of Aluminium Alloy or Zinc alloy Plate or Socket of Skeleton tower bolts as per Table 2 of IS 204 (Part2)	NA
	No of Staples in Skeleton tower bolts as per Table 2 of IS 204 (Part 2)	NA
Marking and Packing	Packing of Barrel tower bolt shall be as per IS 8.1 of IS 204 (Part 2) (Choose NA for Skeleton tower bolts)	NA
	Packing of Skeleton tower bolt shall be as per IS 8.2 of IS 204 (Part 2) (Choose NA for Barrel tower bolt)	Yes
TEST REPORT	Avaibility of Test Report from the list of approved laboratory for Tower Bolts (Non-Ferrous Metals) as per IS: 204, latest	No
	Test reports to be furnished to buyer on demand	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	74	15

Sinks (110 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Items	Definition	inset Sink
	Type of Sink	Single bowl without drainer platform, Double bowl without drainer platform, Single bowl single drainer platform right hand, Single bowl single drainer platform left hand, Single bowl double drainer platform, Double bowl single drainer platform right hand, Double bowl single drainer platform left hand, Double bowl double drainer platform
Specification	Conformity to indian standard IS 2963/ IS 3311	No
	Product is BIS marked	No
Material	Material	Austenitic stainless steel of Grade Designation X04Cr19Ni9 (Numerical symbol 304) conforming
Shape, Design and Colour	Top Shape of the Bowl	Rectangular
	Sink with one small bowl	No
	Tap holes	Without
	No of Tap Holes	NA
	Over Flows Holes	Without
Dimensions	Overall Sink Length (mm)	661-680
	Overall Sink Width (mm)	501-520
	Bowl Length (mm)	601-620
	Bowl width (mm)	441-460
	Depth of Bowl (mm)	200-220
	Small Bowl Length (mm)	NA
	Small Bowl Width (mm)	NA
	Small Bowl depth (mm)	NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	After Forming SS Sheet/Strip Thickness (mm)	0.75-0.8
	Diameter of Tap holes (mm)	NA
	Distance between two Tap holes (mm)	NA
	Waste outlet Size (mm)	32
Finish	Finish	Matt

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	110	15

Bathroom Or Toilet Mirror (V2) (178 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Mirror Shape	Rectangular, Oval
	Frame	Without
	Frame Material	Plastic
	Fixing Arrangement of mirror	Holes with Screws
	Special Feature	NA
Dimension	Width for Rectangular, Diameter for Round, Edge for Square (inch)	20.1-25
	Height/Length of Mirror for Rectangular/ Oval (inch)	20.1-25

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Thickness of Mirror (mm)	3.5-4
Certifications and Test Reports	Availability of type test report from Govt Lab/ NABL/ ILAC to prove conformity to the specification	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	178	15

Bathroom Or Toilet Mirror (V2) (12 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Mirror Shape	Rectangular, Oval
	Frame	With
	Frame Material	Plastic
	Fixing Arrangement of mirror	Hanging System
	Special Feature	NA
Dimension	Width for Rectangular, Diameter for Round, Edge for Square (inch)	12.6-15
	Height/Length of Mirror for Rectangular/ Oval (inch)	20.1-25
	Thickness of Mirror (mm)	4.1-4.5

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certifications and Test Reports	Availability of type test report from Govt Lab/ NABL/ ILAC to prove conformity to the specification	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	12	15

Taps Or Valves Of Nonferrous Metals (711 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Specifications	Type of Tap	Pillar Tap conforming to IS:8931;Latest, Bib Taps conforming to IS:8931;Latest, Wall Mounting Combination Tap Assembly conforming to IS:8931: Latest, Pillar Mounting Combination Tap Assembly conforming to IS:8931: Latest, Stop Valve conforming to IS:8931;Latest, Angle Stop Valve conforming to IS:8931;Latest, Concealed Stop Valve conforming to IS:8931;Latest, Plastic (PTMT) Bib Taps conforming to IS: 9763:Latest, Plastic (PTMT) Stop Valves conforming to IS: 9763:Latest, Plastic (PTMT) Angle Stop Valves conforming to IS: 9763:Latest
	Material of Taps/ Stop Valves	Copper Alloy (Brass) as per table 1 of IS:8931;Latest
	Nominal Size of Taps/ Stop valves (mm)	15
	Finish Of Taps	Nickle-Chromium Plated for service grade No. 2 for Brass Taps and as per IS requirements.
	Wheather ISI Marked	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	711	15

Taps Or Valves Of Nonferrous Metals (260 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Specifications	Type of Tap	Bib Taps conforming to IS:8931;Latest
	Material of Taps/ Stop Valves	Copper Alloy (Brass) as per table 1 of IS:8931;Latest
	Nominal Size of Taps/ Stop valves (mm)	15
	Finish Of Taps	Nickle-Chromium Plated for service grade No. 2 for Brass Taps and as per IS requirements.
	Wheather ISI Marked	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	260	15

Taps Or Valves Of Nonferrous Metals (126 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Specifications	Type of Tap	Pillar Tap conforming to IS:8931;Latest, Bib Taps conforming to IS:8931;Latest, Wall Mounting Combination Tap Assembly conforming to IS:8931: Latest, Pillar Mounting Combination Tap Assembly conforming to IS:8931: Latest, Stop Valve conforming to IS:8931;Latest, Angle Stop Valve conforming to IS:8931;Latest, Concealed Stop Valve conforming to IS:8931;Latest, Plastic (PTMT) Bib Taps conforming to IS: 9763:Latest, Plastic (PTMT) Stop Valves conforming to IS: 9763:Latest, Plastic (PTMT) Angle Stop Valves conforming to IS: 9763:Latest
	Material of Taps/ Stop Valves	Copper Alloy (Brass) as per table 1 of IS:8931;Latest
	Nominal Size of Taps/ Stop valves (mm)	15
	Finish Of Taps	Nickle-Chromium Plated for service grade No. 2 for Brass Taps and as per IS requirements.
	Wheather ISI Marked	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	126	15

Taps Or Valves Of Nonferrous Metals (156 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Specifications	Type of Tap	Pillar Tap conforming to IS:8931;Latest, Bib Taps conforming to IS:8931;Latest, Wall Mounting Combination Tap Assembly conforming to IS:8931: Latest, Pillar Mounting Combination Tap Assembly conforming to IS:8931: Latest, Stop Valve conforming to IS:8931;Latest, Angle Stop Valve conforming to IS:8931;Latest, Concealed Stop Valve conforming to IS:8931;Latest, Plastic (PTMT) Bib Taps conforming to IS: 9763:Latest, Plastic (PTMT) Stop Valves conforming to IS: 9763:Latest, Plastic (PTMT) Angle Stop Valves conforming to IS: 9763:Latest
	Material of Taps/ Stop Valves	Copper Alloy (Brass) as per table 1 of IS:8931;Latest
	Nominal Size of Taps/ Stop valves (mm)	15
	Finish Of Taps	Nickle-Chromium Plated for service grade No. 2 for Brass Taps and as per IS requirements.
	Wheather ISI Marked	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	156	15

Taps Or Valves Of Nonferrous Metals (103 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Specifications	Type of Tap	Pillar Tap conforming to IS:8931;Latest, Bib Taps conforming to IS:8931;Latest, Wall Mounting Combination Tap Assembly conforming to IS:8931: Latest, Pillar Mounting Combination Tap Assembly conforming to IS:8931: Latest, Stop Valve conforming to IS:8931;Latest, Angle Stop Valve conforming to IS:8931;Latest, Concealed Stop Valve conforming to IS:8931;Latest, Plastic (PTMT) Bib Taps conforming to IS: 9763:Latest, Plastic (PTMT) Stop Valves conforming to IS: 9763:Latest, Plastic (PTMT) Angle Stop Valves conforming to IS: 9763:Latest
	Material of Taps/ Stop Valves	Copper Alloy (Brass) as per table 1 of IS:8931;Latest
	Nominal Size of Taps/ Stop valves (mm)	15
	Finish Of Taps	Nickle-Chromium Plated for service grade No. 2 for Brass Taps and as per IS requirements.
	Wheather ISI Marked	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	103	15

Taps Or Valves Of Nonferrous Metals (45 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Specifications	Type of Tap	Pillar Tap conforming to IS:8931;Latest, Bib Taps conforming to IS:8931;Latest, Wall Mounting Combination Tap Assembly conforming to IS:8931: Latest, Pillar Mounting Combination Tap Assembly conforming to IS:8931: Latest, Stop Valve conforming to IS:8931;Latest, Angle Stop Valve conforming to IS:8931;Latest, Concealed Stop Valve conforming to IS:8931;Latest, Plastic (PTMT) Bib Taps conforming to IS: 9763:Latest, Plastic (PTMT) Stop Valves conforming to IS: 9763:Latest, Plastic (PTMT) Angle Stop Valves conforming to IS: 9763:Latest
	Material of Taps/ Stop Valves	Copper Alloy (Brass) as per table 1 of IS:8931;Latest
	Nominal Size of Taps/ Stop valves (mm)	15
	Finish Of Taps	Nickle-Chromium Plated for service grade No. 2 for Brass Taps and as per IS requirements.
	Wheather ISI Marked	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	45	15

Towel Rail / Ring For Bathroom (69 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Fitting	Towel Rail
	Thickness of Ni-Cr coating	Not less than Service Condition Number 3 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Stainless Steel(SS 304)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum Thickness of pipe	0.75 mm
	Color	Steel
	Shape	open rectangle
	Towel Ring Inner Diameter	N.A
	Nominal Diameter of Pipe / Rod	18 mm
	Length of Towel Rail(mm)	600
	Number of Mounting Bracket	2

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	69	15

Plastics Bib Taps Pillar Taps Angle Valves And Stop Valves As Per IS 9763:2000 (Latest) (33 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Ungrouped	Type of Tap/ Valve	Stop Valve
	Materials used for the manufacture body of Tap/ Valve	Polytetra Methylene Terephthalate (PTMT)
	Nominal Sizes of Plastic taps and stop valves	15 mm (1/2 ")
	Finish for Taps/ valves	Chromium plating, Silver Plating, Gold Plating, Vapour Curing, Powder Coating, Not applicable

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Threading of Taps/ Valve	External
	Minimum Thickness in any portion of the body and bonnet for all sizes (mm)	2.5

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	33	15

Flushing Cistern (184 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Operating Mechanism	Push Button Type, Lever Type
	Flushing Operation	Dual Flush System
	CAPACITY OF THE CISTERN IN LITRES	10 LTR
	Flush Pipe	With
MATERIAL	Material of Flush Pipe	HDPE
	Material of Cistern	PP
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	184	15

Towel Rail / Ring For Bathroom (69 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Fitting	Towel Rail, Towel Ring, Robehook Behind Every Door
	Thickness of Ni-Cr coating	Not less than Service Condition Number 2 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Cast Brass Grade LCB-2 of IS:292/1983 for Towel Ring
	Minimum Thickness of pipe	0.75 mm
	Color	Steel
	Shape	Ring
	Towel Ring Inner Diameter	150 mm
	Nominal Diameter of Pipe / Rod	18 mm
	Length of Towel Rail(mm)	600
	Number of Mounting Bracket	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	69	15

Towel Rail / Ring For Bathroom (49 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Fitting	Towel Rail, Towel Ring, Robehook Behind Every Door
	Thickness of Ni-Cr coating	Not less than Service Condition Number 3 of Table 3 of IS 1068/1993
CONSTRUCTIONAL	Material	Cast Brass for Towel Rail
	Minimum Thickness of pipe	0.75 mm
	Color	Steel
	Shape	Square
	Towel Ring Inner Diameter	200 mm
	Nominal Diameter of Pipe / Rod	23 mm
	Length of Towel Rail(mm)	750
	Number of Mounting Bracket	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	49	15

Sinks / Wash Basins - Vitreous China As Per IS 2556 (Part 4) (103 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Conformity to Indian Standard	IS: 2556 (Part - 4) Latest, Not conforming to IS
	Pattern	Other Pattern
CONSTRUCTION	Overall length (cm) (± 10)	60
	Overall Breadth (cm) (± 10)	60
	Overall Height (cm) (± 10)	40
	Bottle Trap	Without
	Shape	Semi Circle
	Height of the Pedstal (cm) (± 10)	No Pedastal
PERFORMANCE	Fixing Arrangement	Bracket Stud
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	103	15

Waste Fittings For Washbasin And Sinks As Per IS 2963 (127 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
RAW MATERIAL	Material of Waste Fitting	Brass conforming to Grade 3 of IS 292/1961, Leaded Tin Bronze conforming to Grade 2 of IS 318/1962
DIMENSION	Nominal Size	32 mm for washbasin
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	5

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	127	15

Floor Drain Traps (354 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Material of Floor trap drains	SS 202
	Shape of Trap	Round Shape
	LOAD CLASSIFICATION OF DRAIN TRAP (LOAD CAPACITY IN KG PER SQUARE CENTIMETER	LIGHT DUTY 1.6 KGF CM2
DIMENSION	Thickness of Trap Material in mm (+/- 0 point 1 mm)	1.0
	LENGTH of Trap in mm (+/- 10 mm)	110
	Width (Diameter in case of circular) of Trap in mm (+/- 10 mm)	110
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1, 2, 3, 4, 5

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	354	15

Floor Drain Traps (150 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Material of Floor trap drains	PVC (Poly Vinyl Chloride)
	Shape of Trap	Round Shape
	LOAD CLASSIFICATION OF DRAIN TRAP (LOAD CAPACITY IN KG PER SQUARE CENTIMETER	LIGHT DUTY 1.6 KGF CM2
DIMENSION	Thickness of Trap Material in mm (+/- 0 point 1 mm)	0.88
	LENGTH of Trap in mm (+/- 10 mm)	Circular
	Width (Diameter in case of circular) of Trap in mm (+/- 10 mm)	100
WARRANTY	WARANTEE PERIOD IN NUMBER OF YEARS	1, 2, 3, 4, 5

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	150	15

Taps Or Valves Of Nonferrous Metals (79 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Specifications	Type of Tap	Pillar Tap conforming to IS:8931;Latest, Bib Taps conforming to IS:8931;Latest, Wall Mounting Combination Tap Assembly conforming to IS:8931: Latest, Pillar Mounting Combination Tap Assembly conforming to IS:8931: Latest, Stop Valve conforming to IS:8931;Latest, Angle Stop Valve conforming to IS:8931;Latest, Concealed Stop Valve conforming to IS:8931;Latest, Plastic (PTMT) Bib Taps conforming to IS: 9763:Latest, Plastic (PTMT) Stop Valves conforming to IS: 9763:Latest, Plastic (PTMT) Angle Stop Valves conforming to IS: 9763:Latest
	Material of Taps/ Stop Valves	Copper Alloy (Brass) as per table 1 of IS:8931;Latest
	Nominal Size of Taps/ Stop valves (mm)	15
	Finish Of Taps	Nickle-Chromium Plated for service grade No. 2 for Brass Taps and as per IS requirements.
	Wheather ISI Marked	Yes

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Nashik	79	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

4. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without

specifying equivalent Indian Certification / standards.

10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---